



FEB 21 2001

Food and Drug Administration  
9200 Corporate Boulevard  
Rockville MD 20850Dr. Peter Leando  
President  
Meditherm, Inc.  
7407 Dover Lane  
PARKLAND FL 33067Re: K003332  
Meditherm Med2000  
Dated: November 14, 2000  
Received: November 27, 2000  
Regulatory Class: I  
21 CFR §884.2980/Procode: 90 LHQ

Dear Dr. Leando:


We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Current Good Manufacturing Practice requirements, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic QS inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4639. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "<http://www.fda.gov/cdrh/dsma/dsmamain.html>".

Sincerely yours,



Daniel G. Schultz, M.D.  
Captain, USPHS  
Acting Director, Division of Reproductive,  
Abdominal, and Radiological Devices  
Office of Device Evaluation  
Center for Devices and Radiological Health

Enclosure (s)

510(K) Number (if known): K003332

Device Name: Meditherm Med2000

Indications For Use :

The Meditherm med2000 thermal imaging system is a thermal based imaging device intended for viewing and digitally storing thermal patterns generated by the human body in the clinical, hospital, acute care settings, surgery, healthcare practitioner facilities or in any environment where healthcare is provided by a qualified healthcare professional. The Meditherm med2000 provides for use with both laptop and desktop computers. The computer provides the user interface, image storage and display.

Use of this device is determined by the healthcare professional and is based upon his or her assessment of the patient's medical condition and requirements. The patient populations include all age groups from adult to pediatric and neonatal. The device is for providing thermal images of the human body. This device is intended for use by qualified healthcare personnel who are trained in its use.

(PLEASE DO NOT WRITE BELOW THIS LINE CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH of Device Evaluation (ODE)

*David C. Segerson*

(Division Sign-Off)  
Division of Reproductive, Abdominal, ENT,  
and Radiological Devices

510(k) Number K003332

Prescription Use

or

Over-the-Counter Use

(Optional Format 1-2-96)